

PLANETARY AUGER DRIVE UNIT KITS

This represents a quick reference guide, not all available systems are represented in this guide. Ground conditions and application may require a unit not listed in this guide. Please feel free to contact Premier for help on determining the best unit based on the requirements of the application.

TRACTOR LOADER DRIVE UNIT KITS

Universal Skid Steer Quick Attach Loaders:

Includes Drive Unit and Universal Skid Steer Mount Offset to Right.

NOTE: Hoses and Couplers are **Not Included** and are Listed and Sold Separately. (See Page 13)

MODEL / ITEM #	DESCRIPTION	APPROX. SHIP WEIGHT	SUGGESTED LIST PRICE (US \$)
MD09H200RKIT	Drive Unit Kit, 7 - 14 gpm, Max. Auger Dia. 18", 3500 Max. psi	316 lbs.	\$ 1,830.00
MD12H200RKIT	Drive Unit Kit, 8 - 17 gpm, Max. Auger Dia. 24", 3500 Max. psi	320 lbs.	\$ 1,875.00
MD14H200RKIT	Drive Unit Kit, 10 - 20 gpm, Max. Auger Dia. 30", 3500 Max. psi	340 lbs.	\$ 2,075.00

Global Mount Loaders:

Includes Drive Unit and Global Quick Coupler Mount Offset to Right

NOTE: Hoses and Couplers are **Not Included** and are Listed and Sold Separately. (See Page 13)

MODEL / ITEM #	DESCRIPTION	APPROX. SHIP WEIGHT	SUGGESTED LIST PRICE (US \$)
MD09H200GRKIT	Drive Unit Kit, 7 - 14 gpm, Max. Auger Dia. 18", 3500 Max. psi	326 lbs.	\$ 1,880.00
MD12H200GRKIT	Drive Unit Kit, 8 - 17 gpm, Max. Auger Dia. 24", 3500 Max. psi	330 lbs.	\$ 1,925.00
MD14H200GRKIT	Drive Unit Kit, 10 - 20 gpm, Max. Auger Dia. 30", 3500 Max. psi	350 lbs.	\$ 2,125.00

John Deere 400/500 Series Loaders:

Includes Drive Unit and John Deere Specific 400/500 Quick Coupler Mount Offset to Right

NOTE: Hoses and Couplers are **Not Included** and are Listed and Sold Separately. (See Page 13)

MODEL / ITEM #	DESCRIPTION	APPROX. SHIP WEIGHT	SUGGESTED LIST PRICE (US \$)
MD09H200JD45RKIT	Drive Unit Kit, 7 - 14 gpm, Max. Auger Dia. 18", 3500 Max. psi	326 lbs.	\$ 1,880.00
MD12H200JD45RKIT	Drive Unit Kit, 8 - 17 gpm, Max. Auger Dia. 24", 3500 Max. psi	330 lbs.	\$ 1,925.00
MD14H200JD45RKIT	Drive Unit Kit, 10 - 20 gpm, Max. Auger Dia. 30", 3500 Max. psi	350 lbs.	\$ 2,125.00

John Deere 600/700 Series Loaders:

Includes Drive Unit and John Deere Specific 600/700 Quick Coupler Mount Offset to Right

NOTE: Hoses and Couplers are **Not Included** and are Listed and Sold Separately. (See Page 13)

MODEL / ITEM #	DESCRIPTION	APPROX. SHIP WEIGHT	SUGGESTED LIST PRICE (US \$)
MD09H200JD67RKIT	Drive Unit Kit, 7 - 14 gpm, Max. Auger Dia. 18", 3500 Max. psi	420 lbs.	\$ 2,142.00
MD12H200JD67RKIT	Drive Unit Kit, 8 - 17 gpm, Max. Auger Dia. 24", 3500 Max. psi	424 lbs.	\$ 2,187.00
MD14H200JD67RKIT	Drive Unit Kit, 10 - 20 gpm, Max. Auger Dia. 30", 3500 Max. psi	444 lbs.	\$ 2,387.00

PLANETARY AUGER DRIVE UNIT KITS continued...

SKID STEER DRIVE UNIT KITS

Medium Duty Skid Steer Drive Unit Kits:

Includes Drive Unit, Mounting Bracket, 1/2" Hose Kit with Flat Face Couplers.

MODEL / ITEM #	DESCRIPTION	APPROX. SHIP WEIGHT	SUGGESTED LIST PRICE (US \$)
MD09H200KIT	Drive Unit Kit, 7 - 14 gpm, 2" Hex Shaft, Max. Auger Dia. 18", 3500 Max. psi	321 lbs.	\$ 2,054.00
MD12H200KIT	Drive Unit Kit, 8 - 17 gpm, 2" Hex Shaft, Max. Auger Dia. 24", 3500 Max. psi	325 lbs.	\$ 2,099.00
MD14H200KIT	Drive Unit Kit, 10 - 20 gpm, 2" Hex Shaft, Max. Auger Dia. 30", 3500 Max. psi	345 lbs.	\$ 2,299.00
MD14R256KIT	Drive Unit Kit, 10 - 20 gpm, 2-9/16" Round Shaft, Max. Auger Dia. 30", 3500 Max. psi	345 lbs.	\$ 2,299.00
MD18H200KIT	Drive Unit Kit, 15 - 30 gpm, 2" Hex Shaft, Max. Auger Dia. 30", 3500 Max. psi	350 lbs.	\$ 2,369.00
MD18R256KIT	Drive Unit Kit, 15 - 30 gpm, 2-9/16" Round Shaft, Max. Auger Dia. 30", 3500 Max. psi	350 lbs.	\$ 2,369.00

Heavy Duty Skid Steer Drive Unit Kits:

Includes Drive Unit, Mounting Bracket, 1/2" Hose Kit with Flat Face Couplers.

MODEL / ITEM #	DESCRIPTION	APPROX. SHIP WEIGHT	SUGGESTED LIST PRICE (US \$)
H015PDH200KIT	Drive Unit Kit, 2" Hex Output Shaft, 10 - 25 gpm, Max. Dia. 30", 3500 Max. psi	351 lbs.	\$ 2,533.00
H015PDR256KIT	Drive Unit Kit, 2-9/16" Round Output Shaft, 10 - 25 gpm, Max. Dia. 30", 3500 Max. psi	351 lbs.	\$ 2,533.00
H019PDH200KIT	Drive Unit Kit, 2" Hex Output Shaft, 15 - 30 gpm, Max. Dia. 36", 3500 Max. psi	354 lbs.	\$ 2,635.00
H019PDR256KIT	Drive Unit Kit, 2-2 9/16" Round Output Shaft, 15 - 30 gpm, Max. Dia. 36", 3500 Max. psi	354 lbs.	\$ 2,635.00

Heavy Duty High Flow Skid Steer Drive Unit Kits:

Includes Drive Unit, Mounting Bracket, 3/4" Hose Kit with 3/4" Flat Face Couplers.

MODEL / ITEM #	DESCRIPTION	APPROX. SHIP WEIGHT	SUGGESTED LIST PRICE (US \$)
H040PDH200KIT	Drive Unit Kit, 2" Hex Output Shaft, 20 - 36 gpm, Max. Dia. 36", 4500 Max. psi	445 lbs.	\$ 4,657.00
H040PDH250KIT	Drive Unit Kit, 2-1/2" Hex Output Shaft, 20 - 36 gpm, Max. Dia. 36", 4500 Max. psi	445 lbs.	\$ 4,657.00
H045PDH200KIT	Drive Unit Kit, 2" Hex Output Shaft, 25 - 45 gpm, Max. Dia. 48", 4500 Max. psi	450 lbs.	\$ 4,692.00
H045PDH250KIT	Drive Unit Kit, 2-1/2" Hex Output Shaft, 25 - 45 gpm, Max. Dia. 48", 4500 Max. psi	450 lbs.	\$ 4,692.00
H055PDH200KIT	Drive Unit Kit, 2" Hex Output Shaft, 30 - 60 gpm, Max. Dia. 48", 4500 Max. psi	455 lbs.	\$ 4,799.00
H055PDH250KIT	Drive Unit Kit, 2-1/2" Hex Output Shaft, 30 - 60 gpm, Max. Dia. 48", 4500 Max. psi	455 lbs.	\$ 4,799.00

PLANETARY AUGER DRIVE UNIT KITS continued...

MINI-SKID DRIVE UNIT KITS

Includes Drive Unit, Full Swivel Function, Universal Mini-Skid Steer Mount, 1/2" Hose Kit and 1/2" Flat Face Couplers

MODEL / ITEM #	DESCRIPTION	APPROX. SHIP WEIGHT	SUGGESTED LIST PRICE (US \$)
MS11H200FSKIT	Drive Unit Kit, 7 - 14 gpm, 2" Hex Shaft, Max. Auger Dia. 18", 3500 Max. psi	153 lbs.	\$ 2,049.00
MS11R256FSKIT	Drive Unit Kit, 8 - 17 gpm, 2" Hex Shaft, Max. Auger Dia. 24", 3500 Max. psi	153 lbs.	\$ 2,049.00
MS14H200FSKIT	Drive Unit Kit, 10 - 20 gpm, 2" Hex Shaft, Max. Auger Dia. 30", 3500 Max. psi	157 lbs.	\$ 2,099.00
MS14R256FSKIT	Drive Unit Kit, 10 - 20 gpm, 2-9/16" Round Shaft, Max. Auger Dia. 30", 3500 Max. psi	157 lbs.	\$ 2,099.00
MS18H200FSKIT	Drive Unit Kit, 15 - 30 gpm, 2" Hex Shaft, Max. Auger Dia. 36", 3500 Max. psi	160 lbs.	\$ 2,149.00
MS18HR256FSKIT	Drive Unit Kit, 15 - 30 gpm, 2-9/16" Round Shaft, Max. Auger Dia. 36", 3500 Max. psi	160 lbs.	\$ 2,149.00

NOTE: For Bobcat MT Mounting Bracket add \$75.00

PLANETARY AUGER DRIVE UNITS

MEDIUM DUTY

Use on Skid Steer Loaders, Compact Excavators, Tractors and Telehandlers

Mounting Brackets, Hose Kits and Couplers are Listed and Sold Separately.

MODEL / ITEM #	DESCRIPTION	APPROX. SHIP WEIGHT	SUGGESTED LIST PRICE (US \$)
MD06PD	5 - 10 gpm, Max. Dia. 15", 2" 3500 Max. psi, 3-Yr. Warranty Available with 2" Hex Output Shaft Only	133 lbs.	\$ 1,394.00
MD09PD	7 - 14 gpm, Max. Dia. 18", 3500 Max. psi, 3-Yr. Warranty Available with 2" Hex Output Shaft Only	136 lbs.	\$ 1,394.00
MD12PD	8 - 17 gpm, Max. Dia. 24", 3500 Max. psi, 3-Yr. Warranty Available with 2" Hex Output Shaft Only	141 lbs.	\$ 1,439.00
MD14PD	10 - 20 gpm, Max. Dia. 30", 3500 Max. psi, 3-Yr. Warranty Available with 2" Hex or 2-9/16" Round Output Shaft	146 lbs.	\$ 1,639.00
MD18PD	15 - 30 gpm, Max. Dia. 36", 3500 Max. psi, 3-Yr. Warranty Available with 2" Hex or 2-9/16" Round Output Shaft	149 lbs.	\$ 1,709.00

PLANETARY AUGER DRIVE UNITS continued...

HEAVY DUTY

Use on Skid Steer Loaders, Compact Excavators, Tractors and Telehandlers

Mounting Brackets, Hose Kits and Couplers are Listed and Sold Separately.

MODEL / ITEM #	DESCRIPTION	APPROX. SHIP WEIGHT	SUGGESTED LIST PRICE (US \$)
H010PD	6 - 15 gpm, Max. Dia. 24", 3500 Max. psi, 5 Yr. Warranty Available with 2" Hex or 2-9/16" Round Output Shaft	163 lbs.	\$ 1,874.00
H015PD	10 - 25 gpm, Max. Dia. 30", 3500 Max. psi, 5 Yr. Warranty Available with 2" Hex or 2-9/16" Round Output Shaft	166 lbs.	\$ 1,874.00
H019PD	15 - 30 gpm, Max. Dia. 36", 3500 Max. psi, 5 Yr. Warranty Available with 2" Hex or 2-9/16" Round Output Shaft	169 lbs.	\$ 1,975.00
H024PD	20 - 35 gpm, Max. Dia. 36", 3250 Max. psi, 5 Yr. Warranty Available with 2" Hex or 2-9/16" Round Output Shaft	172 lbs.	\$ 2,191.00

HEAVY DUTY HIGH FLOW

Use on High Flow Skid Loaders, TLB's, Articulated Loaders, Tractor Loaders, Integrated Tool Carriers, Excavators, Telescopic Handlers, Boom Cranes, and Digger Derricks

Mounting Brackets, Hose Kits and Couplers are Listed and Sold Separately.

MODEL / ITEM #	DESCRIPTION	APPROX. SHIP WEIGHT	SUGGESTED LIST PRICE (US \$)
H040PD	20- 36 gpm, Max. Dia. 36", 4500 Max. psi, 5 Yr. Warranty Available with 2" Hex and 2 1/2" Hex Output Shafts	250 lbs.	\$ 3,673.00
H045PD	25 - 45 gpm, Max. Dia. 48", 4500 Max. psi, 5 Yr. Warranty Available with 2" Hex and 2 1/2" Hex Output Shafts	250 lbs.	\$ 3,708.00
H055PD	30- 60 gpm, Max. Dia. 48", 4500 Max. psi, 5 Yr. Warranty Available with 2" Hex and 2 1/2" Hex Output Shafts	255 lbs.	\$ 3,815.00
H065PD	30- 60 gpm, Max. Dia. 48", 4500 Max. psi, 3 Yr. Warranty Available with 2" Hex and 2 1/2" Hex Output Shafts	260 lbs.	\$ 4,114.00
H075PD	30- 60 gpm, Max. Dia. 48", 4500 Max. psi, 3 Yr. Warranty 2 1/2" Hex Output Shaft	415 lbs.	\$ 5,976.00
H085PD	30- 60 gpm, Max. Dia. 48", 3500 Max. psi, 3 Yr. Warranty 2 1/2" Hex Output Shaft	420 lbs.	\$ 6,136.00
H095PD	30- 60 gpm, Max. Dia. 48", 4500 Max. psi, 2 Yr. Warranty 2 1/2" Hex Output Shaft	515 lbs.	\$ 7,485.00

MOUNTING BRACKETS

SKID STEER MOUNTS AND ADAPTERS

Skid Steer Mounts include required hardware and pins to attach to Premier Earth Auger Drives, complete with swivel, knuckle, auger drive, cradle, and connecting pins (greaseable and contained with snap pins).

Contact Factory for information on mounting brackets for older skid steer loaders.

ITEM #	DESCRIPTION	APPROX. SHIP WEIGHT	SUGGESTED LIST PRICE (US \$)
SM001	Universal Skid Steer Mount, SAE J2513	180 lbs.	\$ 436.00
SMEX01	High Reach Mount Extension, Hooks up to Universal SS Mount	75 lbs.	\$ 481.00
SM026	Down-Pressure Mount Base (additional weights sold separately)	500 lbs.	\$ 1,625.00
50202	Additional Weights for Down Pressure Mount (each)	100 lbs.	\$ 158.00

AG STYLE EQUIPMENT MOUNTS

Tractor Loader Mounts are designed to hang the auger system to the right side for greater operator visibility. They include swivel, knuckle, auger drive, cradle, and connecting pins (greaseable and contained with snap pins).

ITEM #	DESCRIPTION	APPROX. SHIP WEIGHT	SUGGESTED LIST PRICE (US \$)
SM020	Off Set Right Universal Skid Steer Mount	175 lbs.	\$ 436.00
SM021	Global Loader Mount, Off-Set Right	225 lbs.	\$ 486.00
SM019	John Deere 400 / 500 Tractor Loader Mount, Off-Set Right	225 lbs.	\$ 486.00
SM027	John Deere 600 / 700 Tractor Loader Mount, Off-Set Right	275 lbs.	\$ 748.00
TM001	Tractor Loader Mounts, Attach to Lip of Loader Bucket or Arm	45 lbs.	\$ 267.00

MINI-EXCAVATOR, BACKHOE, AND EXCAVATOR MOUNTS

Dipper Pin Only Style Backhoe Mounts:

For Heavy Duty High Flow Drive Unit Models up to H065PD

ITEM #	DESCRIPTION	APPROX. SHIP WEIGHT	SUGGESTED LIST PRICE (US \$)
BH001	Case 580/590 B through M Series Pin-On	75 lbs.	\$ 399.00
BH002	John Deere 310/410/510 Pin-On	75 lbs.	\$ 399.00
BH006	John Deere 310SE-K / 410SE-K Series Pin-On	75 lbs.	\$ 399.00
BH003	Caterpillar 416 / 426 / 428 / 436 Pin-On	75 lbs.	\$ 399.00
BH004	New Holland 400/500/600/700 Series Pin-On	75 lbs.	\$ 399.00
BH005	JCB 1400/1700 Pin-On	75 lbs.	\$ 399.00
BH110	Case 580-N Series Pin-On	75 lbs.	\$ 399.00
BH116	New Holland 90-B / 95-B / 110-B	75 lbs.	\$ 399.00

NOTE:If your machine is not listed, please call 1-866-458-0008

MOUNTING BRACKETS continued...

Dipper Pin Only Style Excavator Mounts:

Pricing Guidelines are given below. Too many available mounts to list all machines. Call factory for part number.

For Medium Duty applications and Drive Unit up to Model H015PD

Mounts for Drive Units up to H015PD, Pin Sizes up to 1-1/2"Part # varies\$ 295.00

For Medium and Heavy Duty Drive Unit Models up to H065PD, using 1-1/4" Mount Pin

Mounts for Drive Units up to H065PD, Pin Sizes up to 55mm.....Part # varies\$ 395.00

Mounts for Drive Units up to H065PD, Pin Sizes 60mm to 80mmPart # varies\$ 595.00

Mounts for Drive Units up to H065PD, Pin Sizes from 85mm and upPart # varies\$ 695.00

For Heavy Duty High Flow Drive Unit Models H075PD and up, using 1-3/4" Mount Pin

Mounts for Drive Units H075PD and up, Pin sizes up to 55mmPart# varies\$ 495.00

Mounts for Drive Units H075PD and up, Pin Sizes 60mm to 80mmPart# varies\$ 695.00

Mounts for Drive Units H075PD and up, Pin Sizes from 85mm and up.....Part # varies\$ 795.00

Pin Grabber Style Excavator Mounts:

ALL PIN GRABBER STYLE EXCAVATOR MOUNTS COME COMPLETE WITH PINS AND CRADLE

Pricing Guidelines are given below. Too many available mounts to list all machines. Call factory for part number.

For Heavy Duty High Flow Drive Unit Models up to H065PD, using 1-1/4 Mount Pin

Mounts less than 55mm Pins, for Drive Units up to H065PDPart # varies\$ 995.00

Mounts from 60mm to 80mm Pins, for Drive Units up to H065PDPart # varies\$ 1,295.00

Mounts greater than 85mm Pins, for Drive Units up to H065PDPart # varies\$ 1,495.00

For Heavy Duty High Flow Drive Unit Models H075PD and up, using 1-3/4 Mount Pin

Mounts less than 55mm Pins, for Drive Units H075PD and upPart # varies\$ 1,395.00

Mounts from 60mm to 80mm, for Drive Units H075PD and upPart # varies\$ 1,695.00

Mounts greater than 85mm Pins, for Drive Units H075PD and up.....Part # varies\$ 1,895.00

Excavator and Backhoe Dedicated Quick Attach Mounts:

ALL MOUNTS LISTED BELOW COME COMPLETE WITH CRADLE

ITEM #	DESCRIPTION	APPROX. SHIP WEIGHT	SUGGESTED LIST PRICE (US \$)
BH099	Bobcat Quick Attach Mount	135 lbs.	\$ 995.00
BH011	Kubota KX71-3 through KX121-3 / U35 / KX40 Mount	125 lbs.	\$ 595.00
BH010	Kubota KX161-3 / U45 Mount	145 lbs.	\$ 695.00
BH065	Kubota KX080-3 Mount	195 lbs.	\$ 745.00
BH141	Kubota KX057 Coupler Mount	195 lbs.	\$ 695.00
BH078	TAG/C&P Wain Roy Style #027 Mount	195 lbs.	\$ 1,070.00
BH097	TAG/C&P Wain Roy Style #030 Mount	225 lbs.	\$ 1,175.00
BH064	John Deere 35-G Coupler Mount	155 lbs.	\$ 595.00
BH091	John Deere 50-G Coupler Mount	170 lbs.	\$ 645.00
BH150	John Deere 17-G Coupler Mount	145 lbs.	\$ 595.00

NOTE:If your machine is not listed, please call 1-866-458-0008

CONSTRUCTION AUGERS

MEDIUM-DUTY SINGLE FLIGHTING

For Light to Moderate Ground Conditions

Heavy-Duty Single Flighting, Fabricated Boring Head, Hardened Fishtail Point, Hardened Bolt-on Wisdom Teeth - Inside Positions & Hardened Bolt-on Gage Teeth - Outside Positions

Indicate 2" Round, 2-9/16" Round, or 2" Hex Collar (No Additional Charge):

LENGTH	DIA.	ITEM #	TOOTH QTY.	APPROX. SHIP WEIGHT	SUGGESTED LIST PRICE (US \$)
4 FT	04"	A04CDF4SF	0	45 lbs.	\$ 232.00
4 FT	06"	A06CDF4SF	2	45 lbs.	\$ 237.00
4 FT	09"	A09CDF4SF	3	70 lbs.	\$ 338.00
4 FT	12"	A12CDF4SF	4	95 lbs.	\$ 378.00
4 FT	15"	A15CDF4SF	5	125 lbs.	\$ 515.00
4 FT	18"	A18CDF4SF	6	155 lbs.	\$ 594.00
4 FT	24"	A24CDF4SF	8	195 lbs.	\$ 714.00




MEDIUM-DUTY DOUBLE FLIGHTING

For Light to Moderate Ground Conditions

Fabricated Boring Head, Hardened Fishtail Point, Heavy-Duty Double Flighting, Hardened Bolt-on Wisdom Teeth - Inside Positions & Hardened Bolt-on Gage Teeth - Outside Positions

Indicate 2" Round, 2-9/16" Round, or 2" Hex Collar (No Additional Charge):

LENGTH	DIA.	ITEM #	TOOTH QTY.	APPROX. SHIP WEIGHT	SUGGESTED LIST PRICE (US \$)
3 FT	04"	A04CDF3	0	40 lbs.	\$ 225.00
3 FT	06"	A06CDF3	2	40 lbs.	\$ 230.00
3 FT	08"	A08CDF3	2	60 lbs.	\$ 318.00
3 FT	09"	A09CDF3	3	63 lbs.	\$ 337.00
3 FT	10"	A10CDF3	3	73 lbs.	\$ 365.00
3 FT	12"	A12CDF3	4	82 lbs.	\$ 379.00
3 FT	15"	A15CDF3	5	98 lbs.	\$ 485.00
3 FT	16"	A16CDF3	5	103 lbs.	\$ 525.00
3 FT	18"	A18CDF3	6	115 lbs.	\$ 559.00
3 FT	20"	A20CDF3	6	126 lbs.	\$ 577.00
3 FT	24"	A24CDF3	8	164 lbs.	\$ 666.00
3 FT	30"	A30CDF3	9	233 lbs.	\$ 848.00
3 FT	36"	A36CDF3	11	315 lbs.	\$ 1,119.00
4 FT	04"	A04CDF4	0	45 lbs.	\$ 232.00
4 FT	06"	A06CDF4	2	45 lbs.	\$ 237.00
4 FT	08"	A08CDF4	2	77 lbs.	\$ 335.00
4 FT	09"	A09CDF4	3	86 lbs.	\$ 348.00
4 FT	10"	A10CDF4	3	99 lbs.	\$ 389.00
4 FT	12"	A12CDF4	4	115 lbs.	\$ 401.00
4 FT	15"	A15CDF4	5	141 lbs.	\$ 531.00
4 FT	16"	A16CDF4	5	146 lbs.	\$ 575.00
4 FT	18"	A18CDF4	6	176 lbs.	\$ 651.00
4 FT	20"	A20CDF4	6	184 lbs.	\$ 713.00
4 FT	24"	A24CDF4	8	278 lbs.	\$ 781.00
4 FT	30"	A30CDF4	9	325 lbs.	\$ 1,044.00
4 FT	36"	A36CDF4	11	443 lbs.	\$ 1,294.00



5 FT and 6 FT Lengths Priced Upon Request.

CONSTRUCTION AUGERS continued...


HEAVY-DUTY DOUBLE FLIGHTING

For Difficult Ground Conditions, Compacted Soils, Heavy Clay, Asphalt, Frozen Ground, & Fracturable Rock

Heavy-Duty Double Flighting, Cast Steel Boring Head, Hardened Fishtail Point,
Hardened Drive-in Chisel Teeth - Inside Positions & Hardened Drive-in Gage Teeth - Outside Positions

Indicate 2" Round, 2-9/16" Round, or 2" Hex Collar (No Additional Charge):

LENGTH	DIA.	ITEM #	TOOTH QTY.	APPROX. SHIP WEIGHT	SUGGESTED LIST PRICE (US \$)
3 FT	06"	A06CDC3	2	43 lbs.	\$ 343.00
3 FT	08"	A08CDC3	4	70 lbs.	\$ 507.00
3 FT	09"	A09CDC3	4	74 lbs.	\$ 544.00
3 FT	10"	A10CDC3	4	78 lbs.	\$ 555.00
3 FT	12"	A12CDC3	4	96 lbs.	\$ 562.00
3 FT	15"	A15CDC3	6	109 lbs.	\$ 697.00
3 FT	16"	A16CDC3	6	117 lbs.	\$ 703.00
3 FT	18"	A18CDC3	6	134 lbs.	\$ 834.00
3 FT	20"	A20CDC3	6	158 lbs.	\$ 1,079.00
3 FT	24"	A24CDC3	8	173 lbs.	\$ 1,139.00
3 FT	30"	A30CDC3	10	220 lbs.	\$ 1,357.00
3 FT	36"	A36CDC3	12	302lbs.	\$ 1,499.00
<hr/>					
4 FT	06"	A06CDC4	2	45 lbs.	\$ 363.00
4 FT	08"	A08CDC4	4	90 lbs.	\$ 522.00
4 FT	09"	A09CDC4	4	98 lbs.	\$ 557.00
4 FT	10"	A10CDC4	4	113 lbs.	\$ 573.00
4 FT	12"	A12CDC4	4	128 lbs.	\$ 583.00
4 FT	15"	A15CDC4	6	151 lbs.	\$ 743.00
4 FT	16"	A16CDC4	6	167 lbs.	\$ 779.00
4 FT	18"	A18CDC4	6	204 lbs.	\$ 871.00
4 FT	20"	A20CDC4	6	231 lbs.	\$ 1,237.00
4 FT	24"	A24CDC4	8	272 lbs.	\$ 1,270.00
4 FT	30"	A30CDC4	10	312 lbs.	\$ 1,579.00
4 FT	36"	A36CDC4	12	430 lbs.	\$ 1,787.00
4 FT	42"	A42CDC4	16	460 lbs.	\$ 2,632.00
4 FT	48"	A48CDC4	18	550 lbs.	\$ 3,096.00



5 FT and 6 FT Lengths Priced Upon Request.

CONSTRUCTION AUGERS continued...


TREE AUGERS

For Tree and Shrub Planting

Two-Diameter Design, Heavy-Duty Double Flighting, Fabricated Boring Head, Hardened Fishtail Point, Hardened Bolt-on Wisdom Teeth - Inside Positions and Hardened Bolt-on Gage Teeth - Outside Positions

Indicate 2" Round, 2-9/16" Round, or 2" Hex Collar (No Additional Charge):

LENGTH	DIA.	ITEM #	TOOTH QTY.	APPROX. SHIP WEIGHT	SUGGESTED LIST PRICE (US \$)
4 FT	18"	A18CDT4	7	144 lbs.	\$ 616.00
4 FT	24"	A24CDT4	10	198 lbs.	\$ 692.00
4 FT	30"	A30CDT4	11	264 lbs.	\$ 945.00
4 FT	36"	A36CDT4	13	349 lbs.	\$ 1,143.00
4 FT	42"	A42CDT4	15	389 lbs.	\$ 1,690.00
4 FT	48"	A48CDT4	17	449 lbs.	\$ 2,176.00



CDR BULLET TOOTH ROCK AUGERS


For Solid and Fracturable Rock, Compacted Soils, Frozen Ground, Asphalt, and Concrete

Cast Steel Boring Head, Bullet Style Teeth, Heavy-Duty Single Flighting, 3/4" Thick Bottom Flight

Indicate 2" Round, 2-9/16" Round, or 2" Hex Collar (No Additional Charge):

LENGTH	DIA.	ITEM #	TOOTH QTY.	APPROX. SHIP WEIGHT	SUGGESTED LIST PRICE (US \$)
4 FT	06"	A06CDR4	6	85 lbs.	\$ 744.00
4 FT	09"	A09CDR4	10	112 lbs.	\$ 958.00
4 FT	12"	A12CDR4	12	138 lbs.	\$ 1,065.00
4 FT	16"	A16CDR4	16	159 lbs.	\$ 1,706.00
4 FT	18"	A18CDR4	18	201 lbs.	\$ 1,820.00
4 FT	20"	A20CDR4	20	240 lbs.	\$ 2,144.00
4 FT	24"	A24CDR4	24	291 lbs.	\$ 2,214.00
4 FT	30"	A30CDR4	30	340 lbs.	\$ 2,457.00
4 FT	36"	A36CDR4	36	395 lbs.	\$ 2,862.00

Other Sizes Priced Upon Request.



CRB ROCK AUGER

For Solid and Fracturable Rock, Compacted Soils, Frozen Ground, Asphalt, Concrete

Aggressive Carbide Cutting Head is Replaceable.

Indicate 2" Round, 2-9/16" Round, or 2" Hex Collar (No Additional Charge).

LENGTH	DIA.	ITEM #	TOOTH QTY.	APPROX. SHIP WEIGHT	SUGGESTED LIST PRICE (US \$)
4 FT	04"	A04CDR4	1	70 lbs.	\$ 766.00



UTILITY STYLE AUGERS

UDC AUGERS


For High Torque Drive Unit Models H040PD, H045PD, H055PD, H065PD, H075PD, H085PD, and H095PD

Heavy-Duty Cast Steel Boring Head, Standard or Carbide Teeth & Point, Outside Drive-in Gage Teeth, 60" of Heavy-Duty 3/8" Thick Flighting, Extra Heavy-Duty Center Shaft (3-3/4" Tubing x 5/8" Wall)

When ordering please indicate 2", 2-1/2", 2-5/8", or 3" Hex Collar (No additional charge):

LENGTH	DIA.	ITEM #	TOOTH QTY.	APPROX. SHIP WEIGHT	SUGGESTED LIST PRICE (US \$)
5 FT (60" OAL)	09"	A09UDC5	2	125 lbs.	\$ 1,445.00
5 FT (60" OAL)	12"	A12UDC5	4	160 lbs.	\$ 1,637.00
5 FT (60" OAL)	16"	A16UDC5	4	244 lbs.	\$ 1,730.00
5 FT (60" OAL)	18"	A18UDC5	6	297 lbs.	\$ 1,880.00
5 FT (60" OAL)	20"	A20UDC5	6	305 lbs.	\$ 1,931.00
5 FT (60" OAL)	24"	A24UDC5	7	380 lbs.	\$ 2,369.00
5 FT (60" OAL)	30"	A30UDC5	8	455 lbs.	\$ 2,924.00
5 FT (60" OAL)	36"	A36UDC5	8	575 lbs.	\$ 3,754.00
5 FT (60" OAL)	42"	A42UDC5	10	795 lbs.	\$ 4,666.00
5 FT (60" OAL)	48"	A48UDC5	13	936 lbs.	\$ 5,334.00

LENGTH	DIA.	ITEM #	TOOTH QTY.	APPROX. SHIP WEIGHT	SUGGESTED LIST PRICE (US \$)
9 FT (104" OAL)	09"	A09UDC9	2	170 lbs.	\$ 1,582.00
9 FT (104" OAL)	12"	A12UDC9	4	245 lbs.	\$ 1,717.00
9 FT (104" OAL)	16"	A16UDC9	4	306 lbs.	\$ 1,831.00
9 FT (104" OAL)	18"	A18UDC9	6	361 lbs.	\$ 1,989.00
9 FT (104" OAL)	20"	A20UDC9	6	348 lbs.	\$ 2,044.00
9 FT (104" OAL)	24"	A24UDC9	7	438 lbs.	\$ 2,484.00
9 FT (104" OAL)	30"	A30UDC9	8	551 lbs.	\$ 3,069.00
9 FT (104" OAL)	36"	A36UDC9	8	771 lbs.	\$ 3,899.00
9 FT (104" OAL)	42"	A42UDC9	10	883 lbs.	\$ 4,891.00
9 FT (104" OAL)	48"	A48UDC9	13	1049 lbs.	\$ 5,488.00



Other Sizes Priced Upon Request.

AUGER EXTENSIONS

VARIABLE LENGTH AUGER EXTENSIONS

ITEM #	DESCRIPTION	APPROX. SHIP WEIGHT	SUGGESTED LIST PRICE (US \$)
CVE12R2002" Round Variable Extension 12" Long.....	14 lbs.	\$ 113.00
CVE12H2002" Hex Variable Extension 12" Long.....	20 lbs.	\$ 169.00
CVE12R2562-9/16" Round Variable Extension 12" Long	21 lbs.	\$ 169.00
CVE24R2002" Round Variable Extension 24" Long.....	25 lbs.	\$ 160.00
CVE24H2002" Hex Variable Extension 24" Long.....	34 lbs.	\$ 215.00
CVE24R2562-9/16" Round Variable Extension 24" Long	40 lbs.	\$ 215.00
CVE36H2002" Hex Variable Extension 36" Long.....	48 lbs.	\$ 256.00
CVE36R2562-9/16" Round Variable Extension 36" Long	54 lbs.	\$ 256.00
CVE48R2002" Round Variable Extension 48" Long	46 lbs.	\$ 211.00
CVE48H2002" Hex Variable Extension 48" Long.....	57 lbs.	\$ 297.00
CVE48R2562-9/16" Round Variable Extension 48" Long	74 lbs.	\$ 297.00
CVE72R2002" Round Variable Extension 72" Long	68 lbs.	\$ 294.00
CVE72H2002" Hex Variable Extension 72" Long.....	83 lbs.	\$ 390.00
CVE72R2562-9/16" Round Variable Extension 72" Long	109 lbs.	\$ 390.00
UVE48H2502-1/2" Hex Variable Extension 48" Long.....	85 lbs.	\$ 575.00
UVE72H2502-1/2" Hex Variable Extension 72" Long	127 lbs.	\$ 827.00
UVE72H2622-5/8" Hex Variable Extension 72" Long	138 lbs.	\$ 932.00

FIXED LENGTH AUGER EXTENSIONS

ITEM #	DESCRIPTION	APPROX. SHIP WEIGHT	SUGGESTED LIST PRICE (US \$)
CFE12R2002" Round Fixed Extension 12" Long	14 lbs.	\$ 113.00
CFE12H2002" Hex Fixed Extension 12" Long.....	20 lbs.	\$ 152.00
CFE12R2562-9/16" Round Fixed Extension 12" Long	21 lbs.	\$ 152.00
CFE24R2002" Round Fixed Extension 24" Long	25 lbs.	\$ 142.00
CFE24H2002" Hex Fixed Extension 24" Long.....	34 lbs.	\$ 191.00
CFE24R2562-9/16" Round Fixed Extension 24" Long	40 lbs.	\$ 191.00
CFE36H2002" Hex Fixed Extension 36" Long.....	48 lbs.	\$ 228.00
CFE36R2562-9/16" Round Fixed Extension 36" Long	54 lbs.	\$ 228.00
CFE48R2002" Round Fixed Extension 48" Long	46 lbs.	\$ 185.00
CFE48H2002" Hex Fixed Extension 48" Long.....	57 lbs.	\$ 265.00
CFE48R2562-9/16" Round Fixed Extension 48" Long	74 lbs.	\$ 265.00
CFE72R2002" Round Fixed Extension 72" Long	68 lbs.	\$ 256.00
CFE72H2002" Hex Fixed Extension 72" Long.....	83 lbs.	\$ 356.00
CFE72R2562-9/16" Round Fixed Extension 72" Long	109 lbs.	\$ 356.00
UFE48H2502-1/2" Hex Fixed Extension 48" Long.....	85 lbs.	\$ 466.00
UFE72H2502-1/2" Hex Fixed Extension 72" Long	127 lbs.	\$ 671.00
UFE72H2622-5/8" Hex Fixed Extension 72" Long	138 lbs.	\$ 694.00

AUGER ACCESSORIES AND REPLACEMENT PARTS

ADAPTERS FOR DRIVE UNITS & AUGERS

ITEM #	DESCRIPTION	APPROX. SHIP WEIGHT	SUGGESTED LIST PRICE (US \$)
C200H256R2" Hex Female To 2-9/16" Round Male Adapter	16 lbs.	\$ 223.00
C200H200R2" Hex Female To 2" Round Male Adapter	14 lbs.	\$ 207.00
C256R200H2-9/16" Round Female To 2" Hex Male Adapter	15 lbs.	\$ 135.00
C256R200R2-9/16" Round Female To 2" Round Male Adapter	12 lbs.	\$ 129.00
C200R200H2" Round Female To 2" Hex Male Adapter	9 lbs.	\$ 128.00
C200R256R2" Round Female To 2-9/16" Round Male Adapter.....	10 lbs..	\$ 133.00
C200H250H2" Hex To 2-1/2" Hex	25 lbs.	\$ 294.00
C200H262H2" Hex To 2-5/8" Hex	25 lbs.	\$ 297.00
C250H200H2-1/2" Hex To 2" Hex	25 lbs.	\$ 351.00
C262H200H2-5/8" Hex To 2" Hex	25 lbs.	\$ 351.00
C250H262H2-1/2" Hex To 2-5/8" Hex	25 lbs.	\$ 369.00
C262H250H2-5/8" Hex to 2-1/2" Hex	25 lbs.	\$ 369.00

HOSES AND FITTINGS

ITEM #	DESCRIPTION	APPROX. SHIP WEIGHT	SUGGESTED LIST PRICE (US \$)
610611/2" Hydraulic Hoses 68" Long	12 lbs.	\$ 103.00
610501/2" Hydraulic Hoses 108" Long	15 lbs.	\$ 138.00
610491/2" Hydraulic Hoses 120" Long	17 lbs.	\$ 149.00
610061/2" Female Flat Faced Coupler	3 lbs.	\$ 59.00
610071/2" Male Flat Faced Coupler	1 lbs.	\$ 27.00
610513/4" Hydraulic Hose Kit 108" Long.....	25 lbs.	\$ 273.00
610433/4" Female Flat Faced Coupler	5 lbs.	\$ 138.00
610443/4" Male Flat Faced Coupler	2 lbs.	\$ 82.00
610085/8" Female Flat Faced Coupler	3 lbs.	\$ 113.00
610095/8" Male Flat Faced Coupler	1 lbs.	\$ 72.00
610221/2" NPT Pioneer Female Coupler	1 lbs.	\$ 10.00
610231/2" NPT Pioneer Male Coupler	1 lbs.	\$ 25.00
91052Spring 1/2" Hose Holder Kit	5 lbs.	\$ 125.00
91053Spring 3/4" Hose Holder Kit	5 lbs.	\$ 125.00
61070Tractor Rear Remote Hydraulic Hose Kit 240" Long	35 lbs.	\$ 299.00


AUGER COLLARS

ITEM #	DESCRIPTION	APPROX. SHIP WEIGHT	SUGGESTED LIST PRICE (US \$)
001022" Hex Auger Collar	10 lbs.	\$ 72.00
001012-9/16" Round Auger Collar	7 lbs.	\$ 64.00
001002" Round Auger Collar	5 lbs.	\$ 45.00
001032-1/2" Hex Collar	11 lbs.	\$ 179.00
001042-5/8" Hex Collar	10 lbs.	\$ 199.00

AUGER ACCESSORIES AND REPLACEMENT PARTS

continued...

CONSTRUCTION AUGER TEETH



Wisdom
Tooth



Chisel
Tooth



Wisdom
Gage
Tooth




Bullet
Tooth

ITEM #	DESCRIPTION	APPROX. SHIP WEIGHT	SUGGESTED LIST PRICE (US \$)
00200	Wisdom Tooth	1 lbs.	\$ 4.00
00201	Chisel Tooth	1 lbs.	\$ 4.00
00202	Wisdom Gage Tooth	1 lbs.	\$ 4.00
00205	Hardfaced Wisdom Tooth	1 lbs.	\$ 8.00
00206	Hardfaced Chisel Tooth	1 lbs.	\$ 8.00
00207	Hardfaced Wisdom Gage Tooth	1 lbs.	\$ 8.00
00208	Carbide Wisdom Tooth	1 lbs.	\$ 21.00
00209	Carbide Chisel Tooth	1 lbs.	\$ 15.00
00261	Carbide Gage Tooth	1 lbs.	\$ 31.50
00237	RB Carbide Wisdom Tooth	1 lbs.	\$ 29.00
00225	Tooth Pocket for CDC Augers	1 lbs.	\$ 28.00
00221	Rock Auger Bullet Tooth	1 lbs.	\$ 14.50
00223	Bullet Tooth Holder	1 lbs.	\$ 17.00
40000	5/8"-11 Carriage Bolt 1-1/2" Long	1 lbs.	\$ 1.50
40001	5/8"-11 Lock Nut	1 lbs.	\$ 1.00

CONSTRUCTION AUGER PILOT POINTS



Fishtail
Point



CDR Rock Auger
Pilot



CRB Rock Auger
Pilot

ITEM #	DESCRIPTION	APPROX. SHIP WEIGHT	SUGGESTED LIST PRICE (US \$)
00203	Fishtail Point Male	3 lbs.	\$ 31.00
00210	Hardfaced Fishtail Point Male	3 lbs.	\$ 67.00
00211	Carbide Fishtail Point Male	3 lbs.	\$ 149.00
00204	4-1/2" Auger Fishtail Point Female	3 lbs.	\$ 69.00
00105	Square Drive Lug	1 lbs.	\$ 17.00
00106	4" Auger Drive Lug	1 lbs.	\$ 21.00
00236	CDR Rock Auger Pilot with 1-3/4" Square Shank	14 lbs.	\$ 220.00
00222	CDR Rock Auger Pilot with 2-3/8" API	14 lbs.	\$ 304.00
00239	4" CDR Rock Auger Fishtail Point Female	3 lbs.	\$ 167.00
00253	RB Carbide Fishtail Point Male	3 lbs.	\$ 167.00

AUGER ACCESSORIES AND REPLACEMENT PARTS

continued...

UTILITY AUGER TEETH



Utility
Gage Tooth



Utility
Wisdom Tooth

ITEM #	DESCRIPTION	APPROX. SHIP WEIGHT	SUGGESTED LIST PRICE (US \$)
00213	Utility Dirt Tooth	1 lbs.	\$ 12.50
00214	Utility Gage Tooth	1 lbs.	\$ 15.00
00215	Utility Carbide Dirt Point	1 lbs.	\$ 41.00
00216	Utility Carbide Gage Tooth	1 lbs.	\$ 52.00

UTILITY AUGER PILOT POINTS



Utility
Fishtail Point

ITEM #	DESCRIPTION	APPROX. SHIP WEIGHT	SUGGESTED LIST PRICE (US \$)
00217	Utility Fishtail Point	5 lbs.	\$ 49.00
00218	Utility Hardfaced Fishtail Point	5 lbs.	\$ 65.00
00219	Utility Carbide Fishtail Point	5 lbs.	\$ 224.00
00220	Utility Drive Lug	1 lbs.	\$ 45.00
00224	Utility Pilot Adapter	9 lbs.	\$ 85.00
00260	Carbide Hardfaced Fishtail Point	5 lbs.	\$ 250.00