

F7 SERIES LANDROLLERS

MODEL	WING CONFIGURATION	TRANSPORT LENGTH	WEIGHT (approx)	LIST PRICE
F7-65	8'-8'-8'-12'-8'-8'-8'	59' 8"	32,500 lbs	\$82,500
F7-69	10'-8'-8'-12'-8'-8'-10'	61' 8"	33,740 lbs	\$86,100
F7-73	10'-10'-8'-12'-8'-10'-10'	62' 6"	35,040 lbs	\$88,000
F7-77	12'-10'-8'-12'-8'-10'-12'	65' 8"	36,960 lbs	\$89,600
F7-81	12'-10'-10'-12'-10'-10'-12'	67' 8"	38,718 lbs	\$91,400
F7-85	12'-12'-10'-12'-10'-12'-12'	69' 8"	39,950 lbs	\$93,400
F7-89	12'-12'-12'-12'-12'-12'-12'	71' 8"	41,190 lbs	\$95,400

SPECIFICATIONS

Transport Width - 14'
 Large floatation tires on Main Frame and Wings
 Main Frame - 380/RR 16.5 on 8 bolt
 Wing Axle - 12.5L x 15 on 8 bolt

FEATURES

Patented **FORWARD™** unfolding system
 Auto-fold hydraulic wing lock
 Seven-section design frame 6" x 4" x 0.250"
 Large diameter drum with premium heavy wall
 42" diameter
 0.50" wall thickness
 Taper lock replaceable drum shafts
 Wing tie bar kit
 Light Package
 Safety Chains

SCRAPER BLADE OPTIONS

Includes installation at time of purchase **\$39.00/ft**
 AR400f high-wear material
 Centre scraper blade frame only - 12' **\$550.00**
 Add-on scraper blade kits available through parts department

ADDITIONAL OPTIONS

Acre Meter
 Order in advance through **Forster Instruments Inc.**
 1-800-661-2994 or 1-905-795-0555



F5 SERIES LANDROLLERS

MODEL	WING CONFIGURATION	TRANSPORT LENGTH	WEIGHT (approx)	LIST PRICE
F5-46	8'-8'-12'-8'-8'	47' 4"	23,000 lbs	\$62,500
F5-50	10'-8'-12'-8'-10'	49' 4"	24,800 lbs	\$63,600
F5-54	10'-10'-12'-10'-10'	51' 4"	26,490 lbs	\$65,200
F5-58	12'-10'-12'-10'-12'	53' 4"	28,478 lbs	\$67,800
F5-62	12'-12'-12'-12'-12'-	55' 4"	30,250 lbs	\$70,300
F5-68	12'-15'-12'-15'-12'	61' 6"	32,620 lbs	\$75,500
F5-74	15'-15'-12'-15'-15'	64' 6"	35,520 lbs	\$77,500
F5-78	15'-17'-12'-17'-15'	66' 6"	37,440 lbs	\$80,700
F5-84	15'-20'-12'-20'-15'	69' 6"	40,320 lbs	\$85,200

SPECIFICATIONS

Transport Width - 14'

Main Frame Tires

F5-46 to F5-58: 12.5L x 15-12 ply
Optional 380/55R16.5

F5-62 to F5-84: 380/55R16.5

Wing Axle Tires: dual 12.5L x 15-12 ply

\$1,800.00

FEATURES

Patented **FORWARD™** unfolding system

Auto-fold hydraulic wing lock

Five-section design frame 6" x 4" x 0.250"

Large diameter drum with premium heavy wall
42" diameter

0.50" wall thickness

Taper lock replaceable drum shafts

Wing tie bar kit

Light Package

Safety Chains

SCRAPER BLADE OPTIONS

Includes installation at time of purchase

\$39.00/ft

AR400f high-wear material

Centre scraper blade frame only - 12'

\$550.00

Add-on scraper blade kits available through parts department

ADDITIONAL OPTIONS

Acre Meter

Order in advance through **Forster Instruments Inc.**

1-800-661-2994 or 1-905-795-0555





F3 SERIES LANDROLLERS

F3NT SERIES LANDROLLERS

MODEL	WING CONFIGURATION	TRANSPORT LENGTH	WEIGHT (approx)	LIST PRICE
F3-32	10'-12'-10'	38'	17,640 lbs	\$41,950
F3-36	12'-12'-12'	40'	19,000 lbs	\$42,300
F3-42	15'-12'-15'	45'	21,220 lbs	\$45,450
F3-46	17'-12'-17'	47'	22,910 lbs	\$48,200
F3-52	20'-12'-20'	50'	24,400 lbs	\$50,600
F3-40NT	15'-10'-15'	45'	20,600 lbs	\$45,100
F3-44NT	17'-10'-17'	47'	22,100 lbs	\$47,500
F3-50NT	20'-10'-20'	50'	23,100 lbs	\$50,300

SPECIFICATIONS

Transport Width

F3 models - 14'

F3NT models - 11' 6"

Large floatation tires on Main Frame and Wings

F3-32 to F3-42 - 11L x 15-8 ply

Optional 12.5L x 15 (4) tires **\$480.00**

F3-46 to F3-52 - 12.5L x 15-8 ply

F3-40NT - 11L x 15-8 ply

F3-44NT to F3-50NT - 12.5L x 15-8 ply

FEATURES

Patented **FORWARD™** unfolding system

Auto-fold hydraulic wing lock

Three-section design frame 6" x 4" x 0.250"

Large diameter drum with premium heavy wall

42" diameter

0.50" wall thickness

Taper lock replaceable drum shafts

Light Package

Safety Chains

SCRAPER BLADE OPTIONS

Includes installation at time of purchase **\$39.00/ft**

AR400f high-wear material

Centre scraper blade frame only - 12' **\$550.00**

Centre scraper blade frame only - 10' **\$506.50**

Add-on scraper blade kits available through parts department

ADDITIONAL OPTIONS

Wing Tie Bar Kit **\$880.00**

Acre Meter

Order in advance through **Forster Instruments Inc.**

1-800-661-2994 or 1-905-795-0555



All prices in effect October 1, 2016

EXW Imperial, SK

Prices in US dollars

This price list supersedes all previous price lists.

Design, materials, specifications and prices subject to change without notice



F-1 SERIES LAND ROLLER FIXED HITCH & THREE-POINT LAND ROLLERS

MODEL	TYPE	SIZE	WEIGHT (approx)	LIST PRICE
F1-20	Hydraulic Swing Hitch	20'	7,600 lbs	\$25,300
FH-12 or TPH-12	Fixed Hitch or Three-Point Hitch	12'	5,000 lbs	\$12,100
FH-14 or TPH-14	Fixed Hitch or Three-Point Hitch	14'	5,500 lbs	\$13,000
FH-16 or TPH-16	Fixed Hitch or Three-Point Hitch	16'	6,000 lbs	\$13,900
FH-18 or TPH-18	Fixed Hitch or Three-Point Hitch	18'	6,500 lbs	\$14,800
FH-20 or TPH-20	Fixed Hitch or Three-Point Hitch	20'	7,000 lbs	\$15,800

Prices on FH or TPH models include transport tires/axles or three-point hitch attachment.

SPECIFICATIONS

Transport Width

- F1 - 8' with swing-away safety lockups
- FH or TPH - 1' wider than specified size

Transport Length

- F1 - 27'
- FH - 13' 11"
- TPH - 60"

Tires

- F1 - 12L x 15-12 ply
- FH - 11L x 15-12 ply

FEATURES

- Large diameter drum with premium heavy wall
 - 42" diameter
 - 0.50" wall thickness
- Heavy duty 2.44" replaceable shaft
- Light Package
 - FH or TPH
 - Removable Hitch
 - Category III 3-point hitch (fits most hitches)



MODEL	HARROW SECTIONS	SIZE	WEIGHT (approx)	LIST PRICE
JH8145	5 3- 11', 2- 6 ½'	45'	10,100 lbs	\$43,200
JH8155	5 5 - 11'	55'	11,950 lbs	\$45,700
JH8168	7 5 - 11', 2 - 6 ½'	68'	13,560 lbs	\$50,200
JH8178	7 7- 11	78'	14,720 lbs	\$54,400
JH8190	9 7- 11', 2- 6 ½'	90'	16,500 lbs	\$65,600

SPECIFICATIONS

Transport Width

- JH8145 - 14' 9"
- JH8155 - 14' 9"
- JH8168 - 14' 8"
- JH8178 - 14' 6"
- JH8190 - 16' 3"

Hydraulically controlled 40° to 85° tines

- 6 1/2' sections - 15 tines
- 11' sections - 25 tines

9/16" x 28" tines

2 3/4" tine space

5 bar 18" spacing between rows

Large floatation tires on Main Frame and Wing Axle

Main Frame - 16.5L x 16.1

Wing Axle - 11L x 15 - 8 ply

JH8190- 21.5L x 16.1 - 10 ply on Main Frame
16.5L x 16.1 - 10 ply on Wing Axle

FEATURES

Auto-fold with Rite Way hydraulic pivot wheel system

Parallel Link Harrow System

Light Package

20,000 lbs Safety Chains

TINE OPTIONS

9/16" x 28" tine with 4" high-wear edge **\$54.00/ft**

5/8" x 28" tine without high-wear edge **\$32.00/ft**

5/8" x 28" tine with 4" high-wear edge **\$88.00/ft**

ADDITIONAL OPTIONS

Weight Box

\$900.00

Acre Meter

Order in advance through **Forster Instruments Inc.**

1-800-661-2994 or 1-905-795-0555



7100 HARROWS

MODEL	HARROW SECTIONS	SIZE	WEIGHT (approx)	LIST PRICE
JH7140	5 3 - 6 1/2', 2 - 11'	40'	9,250 lbs	\$39,700
JH7150	5 1 - 6 1/2', 4 - 11'	50'	10,245 lbs	\$44,100
JH7162	7 3 - 6 1/2', 4 - 11'	62'	12,225 lbs	\$48,300
JH7173	7 1 - 6 1/2', 6 - 11'	73'	13,900 lbs	\$51,600

SPECIFICATIONS

Transport Width - 9' 2"

JH7140 - 9'10"

Hydraulically controlled 40° to 85° tines

6 1/2' sections - 15 tines

11' sections - 25 tines

9/16" x 28" tines

2 3/4" tine space

5 bar 18" spacing between rows

Large floatation tires on Main Frame and Wing Axle

Main Frame - 16.5L x 16.1

Wing Axle - 11L x 15-8 ply

FEATURES

Auto-fold with Rite Way hydraulic pivot wheel system

Parallel Link Harrow System

Light Package

20,000 lbs Safety Chains

TINE OPTIONS

9/16" x 28" tine with 4" high-wear edge **\$54.00/ft**

5/8" x 28" tine without high-wear edge **\$32.00/ft**

5/8" x 28" tine with 4" high-wear edge **\$88.00/ft**

ADDITIONAL OPTIONS

Weight Box **\$900.00**

Acre Meter

Order in advance through **Forster Instruments Inc.**

1-800-661-2994 or 1-905-795-0555





HIGH SPEED MIDRANGE HARROW

MODEL	HARROW SECTIONS	SIZE	WEIGHT (approx)	LIST PRICE
MH6155HS	5 5 at 11'	55'	9,400 lbs	\$39,900
MH6177HS	5 5 at 11'	77'	10,600 lbs	\$48,200

SPECIFICATIONS

Transport Width - 12'
 Transport Height - 11' 6"
 Transport Length
 55' - 48'
 77' - 54' 6"
 Hydraulically controlled 50° to 90° tines
 11' sections - 25 tines
 1/2" x 22' tines
 2 3/4" tine space
 5 bar 14" spacing between rows
 Large floatation tires on Main Frame and Wing Axle
 Main Frame - 12.5L x 15-8 ply
 Wing Axle - 12.5L x 15-8 ply

FEATURES

Patented **FORWARD™** unfolding system
 Air bag main frame suspension
 Standard hydraulic tine angle control
 Parallel Link Harrow System
 Light package
 Safety chain

ADDITIONAL OPTIONS

Acre Meter
 Order in advance through **Forster Instruments Inc.**
 1-800-661-2994 or 1-905-795-0555



VALMAR APPLICATORS

MODEL	VALMAR PRICE	INSTALLATION
2455	\$9,775.00*	\$5,250.00 + \$16.25/ft
3255	\$10,625.00*	\$5,250.00 + \$16.25/ft

*Note: No discount to be applied on the Valmar and its installation. These are pass-through prices only as we do not mark up the price of the Valmar and the installation is offered at our cost.

Installation price includes tank mounting, access steps and walkway, and all hardware.

SAMPLE PRICING

2455 installed on a 55' harrow

$$\text{\$9,775} + \text{\$5,250} + (55' \times \text{\$16.25}) = \text{\$15,918.75}^{**}$$

3255 installed on a 90' harrow

$$\text{\$10,625} + \text{\$5,250} + (90' \times \text{\$16.25}) = \text{\$17,337.50}^{**}$$

**Sample prices are for installed Valmar applicators only. Harrows priced separately.



MODEL	DESCRIPTION	SIZE*	WEIGHT (approx)	LIST PRICE
MH6538	6 Section Hydraulic Angle 22° - 40°	38'	10,950 lbs	\$45,100
MH6550	8 Section Hydraulic Angle 22° - 40°	50'	13,450 lbs	\$54,900
MH6564	10 Section Hydraulic Angle 22° - 40°	64'	15,950 lbs	\$61,600

*Size of machine is measured at maximum gang angle

SPECIFICATIONS

Transport Width -

MH6538 - 12' 5"

MH6550 - 11' 10"

MH6564 - 11' 7"

Quick-tension adjustment tines

10' Wing Section - 128 tines

8' Centre Section - 84 tines

3/4" x 18" interlocking tines

Large floatation tires on Main Frame and Wings

MH6538 & MH6550

Main Frame - 12.5L x 15 - 8 ply

Wing Axle - 11L x 15 - 8 ply

MH6564 - 12.5L x 15 - 8 ply on both

FEATURES

Patented **FORWARD™** unfolding system

Light Package



All prices in effect October 1, 2016

EXW Imperial, SK

Prices in US dollars

This price list supercedes all previous price lists.

Design, materials, specifications and prices subject to change without notice

MODEL	DESCRIPTION	SIZE	WEIGHT (approx)	LIST PRICE*
HCD-32	High Speed Tillage	32'	20,000 lbs	\$120,000

*Price includes set-up

SPECIFICATIONS

Transport Width - 12' 6"
 Transport Height - 12' 6"
 Transport Length - 31' 2"
 Two rows of discs - 5" disc spacing
 One row of coil packers
 Tires - Main frame and wing - 560 - 45x22.5
 10 - 15 horsepower per foot required

FEATURES

Auto-fold with Rite Way hydraulic pivot wheel system
 Achieves 100% coverage at 2.75"
 Individual shank with torsion suspension for each disc
 Parallel linkage insures even penetration front and rear



ROCK PICKERS ROCK WINDROWER

MODEL	TYPE	SIZE	WEIGHT (approx)	LIST PRICE
RR250ST	Rock Picker	1.5 cu y	2,931 lbs	\$16,600
RR900ST	Rock Picker	3.2 cu y	4,784 lbs	\$22,605
RW1200	Rock Windrower	12" reel	1,350 lbs	\$11,500

SPECIFICATIONS - ROCK PICKERS

Rotary Reel

RR250ST - 2 Bat

RR900ST - 3 Bat

Dump Height

RR250ST - 38"

RR900ST - 56"

Tires

RR250ST - 12L x 15-6 ply

RR900ST - 16.5L x 16.1-6 ply

Optional 21.5 x 16.1 tires **\$890.00**

Electro-hydraulic rake & bucket control

Rock Deflector

Hose/Harness Holder

Open Grate Bucket

FEATURES - ROCK PICKERS

Reel speed flow control valve

Shock-protected hydraulic cylinders

Hydraulic swing hitch

Hitch jack

Hard-surfaced reel bat teeth

Extra-long hitch

SPECIFICATIONS - ROCK WINDROWER

Transport width – 12' 3"

Transport length – 8' 11"

Working width – 11' 10"

Drawbar trailing – 12'

Hydraulic drive

Hydraulic hoses and tips

Tires – 9.5L x 15

96 hard-surface replaceable teeth

FEATURES - ROCK WINDROWER

Tri-wind design

Hard-surfaced teeth on 3 rows

Hydraulic driven reel with cushion valve

Heavy duty reel

Hitch jack

Hydraulic adjustable height control



CRUSHRITE LAND ROLLER

MODEL	TYPE	SIZE	WEIGHT (approx)	LIST PRICE
CF1-20	Hydraulic Swing Hitch	20'	1,850 lbs	\$32,000
CF3-32	FORWARD™ Unfold	32'	2,500 lbs	\$52,250
CF3-36	FORWARD™ Unfold	36'	3,000 lbs	\$55,680
CF3-42	FORWARD™ Unfold	42'	3,750 lbs	\$61,220
CF3-46	FORWARD™ Unfold	46'	4,250 lbs	\$65,615
CF3-52	FORWARD™ Unfold	52'	4,300 lbs	\$69,560
CR12FH	Fixed Hitch	12'	3,682 lbs	\$16,700
CR14FH	Fixed Hitch	14'	4,492 lbs	\$18,900
CR16FH	Fixed Hitch	16'	5,302 lbs	\$19,900
CR18FH	Fixed Hitch	18'	6,112 lbs	\$20,800
CR20FH	Fixed Hitch	20'	6,922 lbs	\$21,700

SPECIFICATIONS

Transport Width

CF1 - 8' with swing-away safety lockups

CF3 - 13' 6"

CRFH - 1' wider than specified size

Transport Length

CF1 - 13' 11"

CF3 - 60"

CRFH - 13' 11"

Tires - 12L x 15-12 ply

FEATURES

Large diameter drum with premium heavy wall

42" diameter;

0.50" wall thickness

CF1 - Hydraulic swing-away hitch

CF3 - Patented **FORWARD™** unfolding system

Light Package

Safety Chains



All prices in effect October 1, 2016

EXW Imperial, SK

Prices in US dollars

This price list supersedes all previous price lists.

Design, materials, specifications and prices subject to change without notice